



add to your life..

DHANUSH

Building Systems

uPVC Windows & Doors Solutions

We are Channel partners with
 **KÖMMERLING**[®]
German PVC-U Window & Door Systems

greenline

**PASSION
FOR WHAT
WE DO**



LEADING EDGE BREAKTHROUGHS

> High Wind Load Performance

KOMMERLING's high wind load performance can bring you calm days even during typhoons. The installation of KOMMERLING windows in high buildings has very successful.

> Sound Insulation

The noise level especially in areas with heavy traffic (e.g. near airports) can be considerably decreased by combining the PVC-U profiles with specially insulating glass panes.

> water Tightness

The KOMMERLING PVC-U windows do not allow any water leakage, no matter how heavy the rainstorm is. Even on the coastline, they have proven their window and water tightness.

> Long Life & Maintenance Free

Koemmerling PVC-U windows do not draw any maintenance costs. They do not rot or corrode even in tropical and coastal weather conditions, Koemmerling profiles require minimal maintenance to keep frames in top condition.

> Greenline (Lead Free)

Greenline logo stands amongst others for renouncing on Koemmerling PVC-U profiles stabilised with lead. The eco - friendly calcium zinc stabiliser sustainably protects the environment. The generation of the present lead free PVC-U profile production fulfills the future requirements of environmental protection already today.

> Air Tightness

Scientific design of KOMMERLING window systems avoids the penetration of outdoor dust, air and noise.

> Designed for Extreme Weather Conditions

Koemmerling PVC-U profiles are subject to extreme weather conditions viz;extensive cold, salty sea air, long storm periods and intensive exposure to sunlight. The highly developed Koemmerling material compound Komalit-Z is a very high impact resistance material specially made for tropical climate.

> Security


Koemmerling PVC-U windows fitted with Security hardware, burglar-proof glass and locking handles prevent most burglaries.

> Thermal Insulation

The KOMMERLING windows have been tried and tested in tropical and cold areas. Outstanding thermal insulation distinctly realises a lot of energy saving both in cold and warm weather.

> Fire Retardant

Koemmerling PVC-U windows do not support combustion and are infact self extinguishing. The profile compound possesses a fire retardant quality that meets International guidelines.



CUTTING-EDGE SYSTEMS-CONSIDERED THE BEST-THE WORLD OVER

GOLD ASEA SYSTEM

A universal system to make outward opening and inward opening windows.
Compatible glazing and gasket structure accepts glass from 5 to 24 mm.
Pre-positioned thermal chamber gives excellent insulation.
Unique design of T-style transform can realize the idea joint in both welding and mechanical coupling.
Co-extruded glazing bead with lips tightens the sealing and easy the assembly work.

SYSTEM ORTA

A very successful horizontal sliding system compressing of both window and door sashes making the system more economical.
Accepts glass thickness from 5 to 20mm.
4 frames are available from one system to meet various demands.
Slope rebate of frame assists in draining out water quickly.
Co-extruded glazing bead with lips tightens the sealing and easy the assembly work.
Provision of mosquito net.

SLIDE AND FOLD DOOR SYSTEM




All door sashes can be folded to save space and pushed to the side.

Slide and Fold doors offer generous and barrier free access to terraces, conservatories, conference rooms, wherever needed.

Being equally suited to use as room dividers in hotels and catering establishments, Slide and Fold doors are also being increasingly used in homes

By Using an aluminium threshold we can minimize the bottom frame height upto the floor level.

WINDOW DESIGNS



COLOUR RANGE



9.2052 789-116701
Dark Oak




9.2097 713-116701
Mahogany



9.2178 707-116701
Walnut V

The world of profine



KÖMMERLING®



profine **greenline**



add to your life..
DHANUSH
Building Systems
uPVC Windows & Doors Solutions
(A Unit of Dhanush Management Services)



Factory Address

Sy. No. 87/3,
Cheemasandra,
Virgonagar Post,
Bidarahalli Hobli
Bangalore, India, 560049
Tel : +91-84949 23332
+91-84949 23333

sales@dhanushbuildingsystems.com
santhosh@dhanushbuildingsystems.com
info@dhanushbuildingsystems.com
www.dhanushbuildingsystems.com